


**Supplemental Log Book Entry
Airframe**

Reg: N802VW
Date: 3/15/23

Model: C208B
Hobbs: 174.0

S/N: 208B5654

Removed and Replaced Left Leading Edge Pylon Assembly with new Left Leading Edge Pylons Assembly, P/N 1012094. This maintenance was performed in accordance with the manufacturer's instructions and procedures, and the Airframe is approved for return to service only with respect to the work performed. - **END**



Francisco O. Amarante, 2786079, A&P

N802VW

Airframe Logbook Entry

4 - 1/1


Version: 1

Airframe Make & Model CESSNA 208B	WO# VW2023-01	Date 17-May-2023
Airframe Serial Number 208B5654	Work Performed By Fly the Whale 60 Thompson Ave East Haven, CT 06512 United States	Airframe Hours 196.00
Operator Enterprises Air, LLC		Airframe Landings 345

— Performed the Following Airworthiness Directives

01. AD 2021-08-15 - JOINT AIRCRAFT SYSTEM COMPONENT (JASC) CODE 3445, AIR COLLISION AVOIDANCE SYSTEM (TCAS). (EFFECTIVE 17 MAY 2021) - Work Description: Complied with IAW (g) of this AD using approved AMOC dated 06/08/2022, reference Reply to Letter # 7K0-22-8698.

This is to certify that all work has been performed in accordance with the manufacturer's instructions, manuals and current CFRs. This aircraft, engine, propeller or appliance is approved for return to service with respect to the work performed.

Technician Chrysovalantis Koutsaplis	License / Cert # A&P 3884601IA	Signature 	Date 5/17/23
---	-----------------------------------	--	-----------------

N802VW

Airframe Logbook Entry

5 - 1/1

Version: 1

Airframe Make & Model CESSNA 208B	WO# VW2023-10	Date 14-Jul-2023
Airframe Serial Number 208B5654	Work Performed By Fly the Whale 60 Thompson Ave East Haven, CT 06512 United States	Airframe Hours 239.60
Operator Enterprises Air, LLC		Airframe Landings 421


— Performed the Following Scheduled Items

01. 27 60-10 - AERO TWIN RUDDER GUST LOCK KIT INSPECTION, P/N AT-RL-1001 - STC SA3649NM - Work Description: Complied with condition inspection & operational check of rudder gust lock assembly IAW AeroTwin ICA Doc. AT-RL-1001-ICA. No defects noted.

— Performed the Following Non-Routine Maintenance

02. DCS - COWL CHAFED FROM EXHAUST - Fabricated 5.9"x2.5" patch out of .032 2024T3. Installed patch with rivets P/N MS20426AD4-4.5 (x16) IAW C208 SRM Chapters 51-40-00 and 51-71-00.

This is to certify that all work has been performed in accordance with the manufacturer's instructions, manuals and current CFRs. This aircraft, engine, propeller or appliance is approved for return to service with respect to the work performed.

Technician George Bonadies	License / Cert # A&P 4161225	Signature 	Date 7/14/23
-------------------------------	---------------------------------	---	-----------------



SEPTEMBER 13, 2023 N773BH AIRFRAME LOG ENTRY AMENDMENT

GARMIN GDL69 WAS PREVIOUSLY INSTALLED ON MARCH 15, 2022 AT HOBBS 6.2 WITHOUT RECORD MADE IN AIRCRAFT LOGBOOK. WEIGHT & BALANCE REPORT WAS REVISED AT THAT TIME.

INSTALLED GDL69 P/N 011-03177-10 S/N 3NV006558 FORWARD OF INSTRUMENT PANEL ADJACENT TO TRANSPONDER IAW STC SA01487SE-D AND INSTALL MANUAL 190-00355-02 REV. N. SEE FORM 337 THIS DATE.

THE AIRCRAFT AIRFRAME, AIRCRAFT ENGINE, PROPELLER, OR APPLIANCE IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT REGULATIONS OF THE FEDERAL AVIATION ADMINISTRATION AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS REPAIR STATION UNDER

W/O NO. 79433 DATE 09/13/2023

SIGNED *Michael Bernhardt*

MICHAEL BERNHARDT FOR WIPAIRE, INC. CRS RJWR390K PHONE 651.451.1205

Alt #1 ALTIMETER CORRECTION CARD
 ALT S/N: 454003234 DATE: 20 Sep 23 INSP: B

TRUE	ERROR	TRUE	ERROR	ALT	FRICTION
-1000	-10	14000	0	1000	
0	0	16000	+30	2000	
500	+10	18000	+20	3000	
1000	+10	20000	+20	6000	
1500	+20	22000		10000	N/A
2000	+20	25000		16000	
3000	+20	30000		20000	
4000	0	35000		25000	
6000	+10	HYSTERISIS		30000	
8000	+10			35000	
10000	+20			CASE	
12000	+10	50%	0	LEAK	50'
		40%	+10		

STELLAR AVIONICS SERVICES
 FAA REPAIR STATION # YZSR344Y

STELLAR Avionics Services, LLC Chester Airport Chester, CT 06412 FAA CRS YZSR344Y
 LOG ID# 3977 20-September-2023 WO# 19062 REF# A19062
 N802VW S/N 208B5654 CESSNA 208B

Pg 1 / 1

- 1) Complied with FAR 91.411 Biennial Altimeter Test/Inspection for Garmin GDC-72 Altimeter S/N 45S003234 to 20,000' in Accordance with FAR Part 43, Appendix E, and Found Airworthy.
- 2) Complied with FAR 91.413 Biennial Transponder Test/Inspection for Garmin GTX-335R Transponder S/N 3EH023238 in Accordance with FAR Part 43, Appendix F, and Found Airworthy.
- 3) Complied with FAR 91.411 Biennial Altimeter Test/Inspection for Garmin GDC-72 Altimeter S/N 45S003445 to 20,000' in Accordance with FAR Part 43, Appendix E, and Found Airworthy.
- 4) Complied with FAR 91.413 Biennial Transponder Test/Inspection for Garmin GTX-345R Transponder S/N 3EH028198 in Accordance with FAR Part 43, Appendix F, and Found Airworthy.
- 5) Complied with FAR 91.411 Biennial Altimeter Test/Inspection for United 5934PAD-3 Altimeter S/N 529721 to 20,000' in Accordance with FAR Part 43, Appendix E, and Found Airworthy.

The aircraft, airframe, aircraft engine, propeller, or appliance identified above, was repaired and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service for the work performed. Pertinant details of the repairs are on file at this Repair Station under the work Order listed above.

-----END-----

[Signature] 20 Sep 2023
 YZSR344Y Date

Airframe Make & Model
CESSNA 208BWO#
VW2023-16Date
22-Sep-2023Airframe Serial Number
208B5654Work Performed By
Fly the Whale
60 Thompson Ave
East Haven, CT 06512 United
StatesAirframe Hours
296.50Operator
Enterprises Air, LLCAirframe Landings
532

— Performed the Following Scheduled Items —

01. 5 1000A - AIRFRAME ANNUAL INSPECTION - Work Description: Complied with IAW AMM Task 5-20-00-750 and 14 CFR 43 Appendix D. Researched Airworthiness Directives. Complied with applicable Instructions for Continued Airworthiness. All operational and leak checks were satisfactory.
02. 11 00-00-220 - INTERIOR AND EXTERIOR PLACARD AND DECAL DETAILED INSPECTION TASK 11-00-00-220 - Work Description: Complied with IAW AMM Task 11-00-00-220.
03. 22 12-00-710 - GARMIN AUTOPILOT (GFC 700) SLIP CLUTCH OVERRIDE OPERATIONAL CHECK TASK 22-12-00-710 - Work Description: Complied with IAW AMM Task 22-12-00-710.
04. 22 12-00-720 - GARMIN AUTOPILOT (GFC 700) FUNCTIONAL CHECK TASK 22-12-00-720 - Work Description: Complied with IAW AMM Task 22-12-00-720.
05. 24 33-00-720 - CONCORD SEALED LEAD ACID BATTERY FUNCTIONAL CHECK (CAPACITY CHECK) TASK 24-33-00-720 - Work Description: Complied with IAW AMM Task 24-33-00-720. Passed at 91.1%.
06. 24 36-00-220 - STANDBY ALTERNATOR DETAILED INSPECTION TASK 24-36-00-220 - Work Description: Complied with IAW AMM Task 24-36-00-220.
07. 25 1010 - MILLENNIUM CONCEPTS INTERIOR INSTRUCTIONS FOR CONTINUED AIRWORTHINESS - Work Description: Complied with IAW ICA Doc. ICA-SA01160WI-Suppl-110. No defects noted.
08. 25 1015 - INSPECT AFT DIVAN SHOULDER HARNESS TO AIRFRAME ATTACHMENT - Work Description: Complied with IAW ICA Doc. ICA-SA01160WI-Suppl-110. No defects noted.
09. 25 1020 - AFT CURTAIN TRACK TO AIRFRAME ATTACHMENT INSPECTION - Work Description: Complied with IAW ICA Doc. ICA-SA01160WI-Suppl-110. No defects noted.
10. 25 60-00-722 - ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER (ELT) FUNCTIONAL CHECK TASK 25-60-00-722 - Work Description: Complied with IAW AMM Task 25-60-00-722. Battery exp. Oct/2026.
11. 26 20-00-720 - PORTABLE FIRE EXTINGUISHER FUNCTIONAL CHECK (WEIGHT CHECK) TASK 26-20-00-720 - Work Description: Complied with IAW AMM Task 26-20-00-720.
12. 27 20-00-640 - RUDDER BAR BEARINGS AND RUDDER PEDALS LUBRICATION TASK 27-20-00-640 - Work Description: Complied with IAW AMM Task 27-20-00-640.
13. 27 60-10 - AERO TWIN RUDDER GUST LOCK KIT INSPECTION, P/N AT-RL-1001 - STC SA3649NM - Work Description: Complied with condition inspection & operational check of rudder gust lock assembly IAW AeroTwin ICA Doc. AT-RL-1001-ICA. No defects noted.
14. 32 6005 - WIPAIRE LGAS SYSTEM (8750 MODEL) - INSPECTION - Work Description: Complied with IAW ICA Doc. WLGAS-24-01. No defects noted.
15. 34 5005 - VISUAL INSPECTION, GTX 345 TRANSPONDER INSTALLATION - Work Description: Complied with IAW ICA Doc. 190-00734-11. No defects noted.
16. 34 6505 - VISUAL INSPECTION, GDL 69 INSTALLATION - Work Description: Complied with IAW ICA Doc. 190-00355-00. No defects noted.
17. 34 6506 - AUDIO SUPPRESSION VERIFICATION, GDL 69 - Work Description: Complied with IAW ICA Doc. 190-00355-00. No defects noted.

— Performed the Following Component Changes —

- | | | | | | | | | |
|---|---------------|-----------|---------------|----------------|-------------------|-----|------|-----|
| 18. 37 0103 - VACUUM RELIEF VALVE FILTER DISCARD - Work Description: Remove and replaced IAW AMM Task 37-10-00-961. | | | | | | | | |
| PN Off | SN Off | PN On | SN On | Removal Reason | Inst. Part Status | MSN | TSN | LSN |
| RA-B3-5-1 | No Lot Number | RA-B3-5-1 | No Lot Number | [S] Scheduled | [N] New | 0 | 0.00 | 0 |
-
- | | | | | | | | | |
|--|---------------|-----------|---------------|----------------|-------------------|-----|------|-----|
| 19. 37 11-02 - VACUUM SYSTEM CENTRAL AIR FILTER DISCARD - Work Description: Remove and replaced IAW AMM Task 37-10-00-960. | | | | | | | | |
| PN Off | SN Off | PN On | SN On | Removal Reason | Inst. Part Status | MSN | TSN | LSN |
| AAD9-18-1 | No Lot Number | AAD9-18-1 | No Lot Number | [S] Scheduled | [N] New | 0 | 0.00 | 0 |

— Performed the Following Service Bulletins —

20. CAL-71-19 - SERVICE LETTER - POWER PLANT - INERTIAL SEPARATOR ROD INSPECTION - Work Description: Complied with IAW Accomplishment Instructions in CAL.


— Performed the Following Non-Routine Maintenance —

21. DCS - AILERON FUSELAGE CABLE TENSION LOW - Adjusted cable tension IAW AMM P/N D2078-13, rev. 39, Chapter 27-10-01.
22. DCS - FUEL RESERVOIR DRAIN VALVE LEAKING - Removed and replaced fuel drain P/N 967B5 (X1) access cover P/N 2616017-28 (X1) gasket P/N 2616017-27 (X1) and O-ring P/N M83248/1-020 (X1). All work performed IAW AMM section 28-22-00. Performed leak check, satisfactory.
23. DCS - RH OB BRAKE MASTER CYLINDER LEAKING - Removed and replaced master cylinder assembly P/N 2682001-1 with new. Work IAW AMM P/N D2078-13, Rev. 39 Chapter 32-41-00.
24. DCS - GUST LOCK RELEASE ARM BENT - Removed and replaced release arm assembly P/N AT-RL-1002 with new. Performed rigging. All work performed IAW ICA Doc. P/N AT-RL-1001-ICA.

This is to certify that this aircraft, engine, propeller or appliance has been inspected in accordance with an annual inspection and is in airworthy condition. All work has been performed in accordance with the manufacturer's instructions, manuals and current CFRs.

Technician
Robert MalloryLicense / Cert #
A&P 3870280IA

Signature



Date

22-Sep-2023

Supplemental Log Book Entry, Airframe


Reg: N802VW
Date: 5/14/24

Model: C208B
Hobbs: 339.4

S/N: 208B5654
Landings: 590

- Removed Tail Stinger/Fairing Assembly. Complied with Aerotwin Rudder Gust Lock Instructions for Continued Airworthiness with reference to Aerotwin Document No. AT-RL-1001-ICA, Nov 11th 2013 Rev K with no defects noted at this time. Lubricated Rudder Gust Lock. Reinstalled Tail Stinger/Fairing Assembly using existing hardware. (#443, 27-60-10)
- Removed and Replaced Left Pylon Door Hinge Pin with new. Removed and Replaced Left and Right Pylon Fairing Screws with new, P/N AN526C832R8, AN526C1032R16, #8 Nylon Washers with new, P/N 04-00217 as necessary.

This maintenance was performed in accordance with the manufacturer's instructions and procedures, and this engine is approved for return to service only with respect to the work performed. - **END**



David A. Johnson, 3638866, A&P IA

N802VW

Airframe Logbook Entry

7 - 1/1

Version: 1


FLY THE WHALE
LAND & SEA BASED CHARTER FLIGHTSAirframe Make & Model
CESSNA 208BAirframe Serial Number
208B5654Operator
Fly The WhaleWO#
VW2024-04Work Performed By
Fly The Whale
60 Thompson Ave
East Haven, CT 06512 United
StatesDate
13-Jun-2024Airframe Hours
362.80Airframe Landings
623

— Performed the Following Component Changes —

01. 24 0501 - BATTERY - Work Description: Removed battery P/N RG-380E/40B S/N 41179828. Performed CAP check, battery failed at 77.4%.
Installed new battery IAW AMM Chapter 24-33-00.

PN Off	SN Off	PN On	SN On	Removal Reason	Inst. Part Status
RG-380E/44	41179828	RG-380E/44	70032537	[F] Failed	[N] New

This is to certify that all work has been performed in accordance with the manufacturer's instructions, manuals and current CFRs. This aircraft, engine, propeller or appliance is approved for return to service with respect to the work performed.


Technician

Robert Mallory

License / Cert #

A&P 3870280IA

Signature



Date

13-Jun-2024

Airframe Make & Model
CESSNA 208BAirframe Serial Number
208B5654Operator
Fly The WhaleWO#
N802VW-2407-042Work Performed By
Fly The Whale
60 Thompson Ave
East Haven, CT 06512 United
StatesDate
25-Jul-2024Airframe Hours
403.10Airframe Landings
695

— Performed the Following Scheduled Items —

01. 27 60-10 - AERO TWIN RUDDER GUST LOCK KIT INSPECTION, P/N AT-RL-1001 - STC SA3649NM - Work Description: Complied with condition inspection & operational check of rudder gust lock assembly IAW AeroTwin ICA Doc. AT-RL-1001-ICA. No defects noted.
02. 32 6005 - WIPAIRE LGAS SYSTEM (8750 MODEL) - INSPECTION - Work Description: Complied with IAW ICA Doc. WLGAS-24-01. No defects noted.

This is to certify that all work has been performed in accordance with the manufacturer's instructions, manuals and current CFRs. This aircraft, engine, propeller or appliance is approved for return to service with respect to the work performed.

Technician

Nathanael Domschine

License / Cert #

A&P 4561429

Signature

Date

25-Jul-2024



FLY THE WHALE
LAND & SEA BASED CHARTER FLIGHTS

Airframe Make & Model
CESSNA 208B

Airframe Serial Number
208B5654

Operator
Fly The Whale

WO#
N802VW-2410-002

Work Performed By
Fly The Whale
60 Thompson Ave
East Haven, CT 06512 United
States

Date
01-Nov-2024

Airframe Hours
456.50

Airframe Landings
808

— Performed the Following Scheduled Items —

01. 5 1000A - AIRFRAME ANNUAL INSPECTION - Work Description: Performed airframe annual inspection IAW AMM Task 5-20-00-750 and 14 CFR 43 Appendix D. Researched Airworthiness Directives.
02. 11 00-00-220 - INTERIOR AND EXTERIOR PLACARD AND DECAL DETAILED INSPECTION TASK 11-00-00-220 - Work Description: Complied with IAW AMM Task 11-00-00-220.
03. 22 12-00-710 - GARMIN AUTOPILOT (GFC 700) SLIP CLUTCH OVERRIDE OPERATIONAL CHECK TASK 22-12-00-710 - Work Description: Complied with IAW AMM Task 22-12-00-710.
04. 22 12-00-720 - GARMIN AUTOPILOT (GFC 700) FUNCTIONAL CHECK TASK 22-12-00-720 - Work Description: Complied with IAW AMM Task 22-12-00-720.
05. 24 36-00-220 - STANDBY ALTERNATOR DETAILED INSPECTION TASK 24-36-00-220 - Work Description: Complied with IAW AMM Task 24-36-00-220.
06. 25 1010 - MILLENNIUM CONCEPTS INTERIOR INSTRUCTIONS FOR CONTINUED AIRWORTHINESS - Work Description: Complied with IAW ICA Doc. ICA-SA01160WI-Suppl-110.
07. 25 1015 - INSPECT AFT DIVAN SHOULDER HARNESS TO AIRFRAME ATTACHMENT - Work Description: Complied with IAW ICA Doc. ICA-SA01160WI-Suppl-110.
08. 25 1020 - AFT CURTAIN TRACK TO AIRFRAME ATTACHMENT INSPECTION - Work Description: Complied with IAW ICA Doc. ICA-SA01160WI-Suppl-110.
09. 25 60-00-722 - ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER (ELT) FUNCTIONAL CHECK TASK 25-60-00-722 - Work Description: Complied with IAW AMM Task 25-60-00-722. Battery exp. 09/2026.
10. 26 20-00-720 - PORTABLE FIRE EXTINGUISHER FUNCTIONAL CHECK (WEIGHT CHECK) TASK 26-20-00-720 - Work Description: Complied with IAW AMM Task 26-20-00-720. Weight within limits.
11. 27 60-10 - AERO TWIN RUDDER GUST LOCK KIT INSPECTION, P/N AT-RL-1001 - STC SA3649NM - Work Description: Complied with condition inspection & operational check of rudder gust lock assembly IAW AeroTwin ICA Doc. AT-RL-1001-ICA. No defects noted.
12. 32 6005 - WIPAIRE LGAS SYSTEM (8750 MODEL) - INSPECTION - Work Description: Complied with IAW ICA Doc. WLGAS-24-01. No defects noted.
13. 34 5005 - VISUAL INSPECTION, GTX 345 TRANSPONDER INSTALLATION - Work Description: Complied with IAW ICA Doc. 190-00734-11.
14. 34 6505 - VISUAL INSPECTION, GDL 69 INSTALLATION - Work Description: Complied with IAW ICA Doc. 190-00355-00.
15. 34 6506 - AUDIO SUPPRESSION VERIFICATION, GDL 69 - Work Description: Complied with IAW ICA Doc. 190-00355-00.

— Performed the Following Component Changes —

16. 37 0103 - VACUUM RELIEF VALVE FILTER DISCARD - Work Description: Removed and replaced vacuum relief valve filter IAW AMM Chapter 37-10-00-961.

PN Off	SN Off	PN On	SN On	Removal Reason	Inst. Part Status	MSN	TSN	LSN
RA-B3-5-1	No Lot Number	RA-B3-5-1	No Lot Number	[S] Scheduled	[N] New	0	0.00	0
17. 37 11-02 - VACUUM SYSTEM CENTRAL AIR FILTER DISCARD - Work Description: Removed and replaced vacuum system central air filter IAW AMM Chapter 37-10-00-960.

PN Off	SN Off	PN On	SN On	Removal Reason	Inst. Part Status	MSN	TSN	LSN
AAD9-18-1	No Lot Number	AAD9-18-1	No Lot Number	[S] Scheduled	[N] New	0	0.00	0

— Performed the Following Non-Routine Maintenance —

18. DCS - AILERON TRIM TENSION LOW - Work Description: Adjusted aileron trim tension IAW AMM Chapter 27-10-02.
19. DCS - AIRFRAME CORROSION CONTROL - Work Description: Removed corrosion, applied chemically conversion coating, primed and painted area IAW C208 SRM Chapter 51-11-00.
20. DCS - CO-PILOT MAP LIGHT KNOB MISSING - Work Description: Installed knob assembly consisting of P/N S1780-4, P/N 1270483-1 and P/N AN565B2H3 IAW AMM Chapter 33-10-00.
21. DCS - CORRODED ANTENNA ON BELLY - Work Description: Removed antenna P/N CI-110-41-30 S/N 671292 and replaced with new P/N same S/N 767622 IAW AMM Chapter 34-54-30.
22. DCS - ELEVATOR DETAILED INSPECTION - Work Description: Removed, cleaned, inspected, applied CIC as required, and reinstalled elevator assemblies IAW AMM Chapters 27-30-00 and 55-20-00. Operational check satisfactory.
23. DCS - ELEVATOR OUTBOARD BEARINGS FROZEN - Work Description: Removed and replaced LH and RH bearings P/N MS27641-4 (x2) IAW AMM Chapter 51-40-00.
24. DCS - L/H MLG AFT I/B BARREL NUT/CAGE/BOLT CORRODED. CORROSION IN MLG ATTACH FITTING - Work Description: Removed and replaced bolt P/N NAS6608-26D, nut P/N LH8065-080 and clip P/N 2452-080RET with new. Clean minor corrosion, treated and primed area. All work was done IAW AMM Chapter 20-10-10 and C208 SRM Chapter 51-11-00.
25. DCS - PASSENGER SEATS LOCKING STUDS STRIPPED - Work Description: Removed and replaced locking studs P/N 61313-24-21 (x3) with IAW ICA-SA01160WI-Suppl-110.
26. DCS - PILOT/CO-PILOT WINDSHIELD SEALANT FAILED IN UPPER SECTION - Work Description: Resealed Pilot and Co-pilot windshields IAW AMM Chapter 20-30-03.
27. DCS - R/H AILERON PUSH ROD ENDS WORN - Work Description: Removed and replaced rod ends P/N S2022-3 and S2022-3L IAW AMM Chapters 20-10-20 and 20-10-40.
28. DCS - R/H AND L/H AILERON FUSELAGE LOOP TENSION LOW - Work Description: Adjusted tension IAW AMM Chapter 27-10-01.
29. DCS - R/H AND L/H AILERON TRAVELS OFF - Work Description: Adjusted travels IAW AMM Chapter 27-10-01.
30. DCS - R/H INBOARD FLAP COVE ACCESS PANEL CRACKED - Work Description: Removed and replaced panel P/N 2622236-8 IAW AMM Chapter 57-11-00.

N802VW

Airframe Logbook Entry

9 - 2/2

Version: 3


FLY THE WHALE
LAND & SEA BASED CHARTER FLIGHTSAirframe Make & Model
CESSNA 208BAirframe Serial Number
208B5654Operator
Fly The WhaleWO#
N802VW-2410-002Work Performed By
Fly The Whale
60 Thompson Ave
East Haven, CT 06512 United
StatesDate
01-Nov-2024Airframe Hours
456.50Airframe Landings
808

— Performed the Following Non-Routine Maintenance —

31. DCS - RUDDER GUSTLOCK PIVOT ATTACH BOLT HAS PLAY IN GUST LOCK ASSEMBLY - Work Description: Adjusted rudder gust lock rigging as required IAW Aerotwin ICA document # AT-RL-1001. Operational check satisfactory.
32. DCS - SERVICE A/C SYSTEM - Work Description: Serviced system IAW AMM Chapter 12-16-02.

This is to certify that this aircraft, engine, propeller or appliance has been inspected in accordance with an annual inspection and is in airworthy condition. All work has been performed in accordance with the manufacturer's instructions, manuals and current CFRs.

Technician


License / Cert #

Signature

Date

Robert Mallory

A&P 3870280IA



01-Nov-2024

Supplemental Log Book Entry, Airframe

Reg: N802VW

Date: 2/12/25


Model: C208B

Hobbs: 474.2

S/N: 208B5654

Landings: 837 **Cycles:** 792

Performed Aircraft Battery Capacity Check. Removed Aircraft Battery, P/N RG-380E/44, S/N 70032537. Top Charged and Installed new Aircraft Battery, P/N RG-380E/44, S/N 70047884. This maintenance was performed in accordance with the manufacturer's instructions and procedures, and the Airframe is approved for return to service only with respect to the work performed. - **END**



Jose J. Cotto, 3118790 A&P, IA

Supplemental Log Book Entry, Airframe

Reg: N802VW

Date: 4/24/25

Model: C208B

Hobbs: 504.6

S/N: 208B5654

Landings: 907

- (#443, 27-60-10) Removed Tail Stinger/Fairing Assembly. Complied with Aerotwin Rudder Gust Lock Instructions for Continued Airworthiness with reference to Aerotwin Document No. AT-RL-1001-ICA with no defects noted at this time. Lubricated Rudder Gust Lock. Reinstalled Tail Stinger/Fairing Assembly using existing hardware.

This maintenance was performed in accordance with the manufacturer's instructions and procedures, and this engine is approved for return to service only with respect to the work performed. - **END**



Jose J. Cotto, 3118790 A&P, IA